

STEP-DRAULIC EQUIPMENT

LO-JACKS




JACKS and ADAPTE truck transmissions. S and Adapters on page 4

LATERAI

SIDE TILT

SLIDE

STEP-DRAULIC No. 5000 LO-JACK



- MANEUVERABLE
- COMPACT


ITEM-8

LOWER - HIGHER, In Range

Especially designed for one-man transmission service with car on jack stands. Hydraulic pump, ram and positioning carrier in one unit. Controls at finger tips when working from Creeper. Pump operating lever can be mounted either side.

Rolls easily on four large casters - widely spaced for stability. Capacity - 1000 lbs. Transmission can be tilted 40° forward, 6° back, 10° left or right. Has adjustable floating tilt, an important feature,

Lifts from 5 1/4" to 24 1/4".





This is the original combination transmission and service Jack. Lift out the Transmission Carrier, set in the saddle and you have a handy Service Jack. The foot or hand operated pump and the release valve are in one unit which can be used in or out of rigid handle. Many other features important for transmission service.

PRICES FROM No. 5000 No For Servicing Lo-Jack Prices in all Dynaflow plete units i Hydramatic carrier, and Ultramatic \$ 94.50 Ford-Mercury Automatic -Recommended for Over-Drives (except Packard) Specify Make Fluid Drives Powerglide 99.50 Fit-All Packard Overdrive 104.50 Studebaker Automatic Drive

When ordering, specify Jack by Model Examples:

No. 5000 - Step-Draulic Lo-Jack for with Slide or less Slide No. 3000 - Step-Draulic Hi-Jack for

Order additional

Ford - Mercury Automatic -

Adapters for all

Cars and Trucks by name

\$109.50

Recommended for

THOUSANDS NOW IN USE HERE AND ABROAD

1 1/2 ton capacity. Lifts from 4 1/2" to 19 1/2" (2" higher with extension spool which is included.) Transmission Carrier and Adapter adds 3 1/2".

FOR SAFE, SPEEDY SERVICE

HI-JACKS

For those using Lifts or Pits

RS for ALL car and

ee Price Table below



Step - Draulic Transmission Hi-Jacks are designed for safe, speedy, one-man operation with the car on single or 2-post lift or pit. Hydraulic pump and lift cylinder are a single unit with no exposed piping or fittings. Vertical pumping action does not disturb alignment. Dual-speed, foot-operated release lowers fast or slow as desired leaving both hands free to control transmissions. Safety release valve automatically protects equipment and car mechanism. Three large casters spaced to straddle Twin Post lift floor plates.

> STEP-DRAULIC No. 3000 SINGLE STAGE HI-JACK

This single stage Jack lifts from 42" to 73". Capacity - 1000 lbs.

DUAL SPEED FOOT RELEASE


BACK TILT

LOW, RIGID, FORMED STEEL BASE

94.50 TO \$229.50

7 4 . 3	0 10 .		,
. 550 -Jack	No. 3000 Hi-Jack	No. 3200 Hi-Jack	Adapter Only
columns below are for com-			
ncludir	ng Jack, p	ositioning	\$12.50
an adapter.			12.50
24.60	\$169.50	\$214.50	12.50
× FORD			12.50
and Model			12.50
			12.50
9.60	174.50	219.50	17.50
4.60	179.50	224.50	22.50
ces With Spline Aligning Slide)			
39.60	\$184.50	\$229.50	\$27.50
MERC	URY		

Number followed by Name of Adapter.



STEP-DRAULIC No. 3200 TWO-STAGE HI-JACK

Two - stage design allows a greater range in lift. Its raised height is 72". It lowers to 32" for greater convenience when transferring heavy units to bench or fixture. Capacity - 1000 lbs.

Mercury Automatic (indicate as Slide is optional). Dynaflow.

-buy STEP-DRAULIC from



DETROIT GENERAL EQUIPMENT CO.

3935 Seyburn Ave.

Detroit 14, Mich.

Mfq.by J. O. STEPHENSON FDRY. & MFG. CO.

Equipment Designed with the Dealer in Mind


548 E. Fort St.

WOodward 2-6437

Detroit 26, Mich.

ITEM-9

ITEM-II



An AUXILIARY MOTOR SUPPORT for holding and positioning the engine when the transmission or rear motor mount is removed. Protects crank case. The work area is left free of obstruction and the car can be moved in and out of working stall. It is safe and convenient. For all late model cars, including new model changes. Provides maximum clearance so that transmission may be lowered and moved forward under crankcase when necessary.

No. 40050 G-M Kit - all G-M cars

\$24.50

No. 40450 Ford Motor Kit - for

Ford Lincoln and Mercury


\$16.50



40100, 40400, 40500 (Hook Type) \$14.50

No. 40100 specifically for Cadillac and Oldsmobile

No. 40400 specifically for Lincoln No. 40500 specifically for Ford and Mercury, and Kaiser and Frazer. Can also be used for Cadillac and Oldsmobile



No. 40000 specifically for Buick, Packard and Pontiac

No. 40200 specifically for Chevrolet. Can also be used for Buick, Packard and

ADAPTERS

TRANSMISSION HOLDING ADAPTERS OF APPROVED DESIGN MOUNT INTERCHANGEABLY ON POSITIONING CARRIER. AVAILABLE FOR ALL CAR AND TRUCK TRANSMISSIONS IN TYPES AND CAPACITIES AS SHOWN;



HYDRAMATIC No. 30800 - \$12.50



DYNAFLOW No. 30000 - \$12.50



ULTRAMATIC No. 30700 - \$12.50



FORD-MERCURY No. 30400 - WS.\$27.50



Less SLIDE FORD-MERCURY No. 30400 - \$12.50



STUDEBAKER No. 31300 - \$27.50

SPECIFIC-UNIT ADAPTERS of individualized design, as illustrated, are required to correctly support and hold the various Automatic Transmissions.

Powerglide Adapter is designed for Axial Balance which allows free movement in any direction and assures safe, effortless handling of this transmis-

Spline aligning slide insures continuous alignment of splines and protects oil seals when transmission is removed separately from torque converter. Slide is essential for Studebaker, recommended for Mercury, and optional for Ford. Adds 11/2" to specified height of Jacks.

SPECIFIC UNIT ADAPTERS, although not illustrated, are available for all cars and trucks. Specify Make and Model for prices and information.



POWERGLIDE

No. 30100 FIT-ALL ADAPTER \$22.50

Fits all transmissions except those automatic units shown above. For all car and truck transmissions weighing up to 500 lbs.; Borg-Warner Overdrives, Fluid Drives, 4-Speed Syncro-Mesh, etc. Provides a single work holding fixture with fully adjustable fittings and safety hold-down chain that are quickly locked into place with standard wrenches. Adjustable width 1" to 13", length 0" to 14-5/8") No. 30100

BUICK CADILLAC CHRYSLER FORD FRAZER LINCOLN MERCURY PACKARD WILLYS OLDSMOBILE PLYMOUTH PONTIAC STUDEBAKER

UNIVERSAL CARRIER No. 7000

This all-steel Carrier is an improved adaption of the Model 700, embodying changes for better handling of the Chevrolet Powerglide Transmission. It has positively connected, fast adjusting lead screws for safe, accurately controlled positioning of the unit. It tilts forward 28°, backward 10°, right 13°, left 13°, slide 3" laterally on steel rollers. It can be rotated the full 360°.

This Carrier is quickly interchangeable on No. 550 - also on No. 2900 and 3100 STEP DRAULIC JACKS (not shown in this circular) for supporting and positioning heavy units. All Adapters for all types of transmissions mount on the Carrier with 2 or 4 cap screws. \$45.00



DESIRABLE & RECOMMENDED EQUIPMENT FOR FORD AUTOMATIC TRANSMISSIONS

- ORDER BLANK -

DETROIT GENERAL EQUIPMENT CO.

3935 Seyburn Avenue	Detroit 14, Mich.			
and the state of the second se	TERMS—Net C. O. D.			
SHIP TO	Deduct 5% for Cash with Order			
	\$ Remittance Enclosed			
A STATE OF THE STA	Payable to Detroit General Equipment Co.			
THE COUNTY OF STREET A PROPERTY OF THE PARTY	All Shipments F.O.B. Detroit, Mich., U.S.A. Prices subject to change without notice.			
FORD DISTRICT OFFICE	Ship Via			
NEW MODELS - NEW PRICES - Effective Sept. 1, 1950. See Step-Draulic Bul				
(Recommended) Complete STEP-DRAULIC JACKS with FORD A	Ulumatic transmission adapters			
Handle this 208 lb. FORD transmission with	SPEED and SAFETY.			
Item Quantity Floor Model Transmission	.Tacks Amount			
8No.5000-304 FORD AUTOMATIC Lo-Jack				
(This floor model is recommended when used for transmi;				
10No.550-304 FORD AUTOMATIC LO-Jack	\$124.60 \$			
(Combination transmission and car lifting jack)				
Lift or Pit Model Transmission Jacks				
9No. 3000-304 FORD AUTOMATIC Hi-Jack (Single Stage)				
No. 3200 - 304 FORD AUTOMATIC Hi-Jack (Two Stage) (No. 3200 has added range for direct loading at bench)				
(Desirable) SPECIAL TOOLS				
20No. 40500 Engine Support for FORD				
21No. 11 200 Oil Drain and Filter Can				
22 NO. 11220 AT NOZZIE - COMPTERE WITH TIP.				
SPECIAL COMBINATION PRICE	E OFFER			
When all the Special Tools in Group AA (Items No. 20, 21 and 22) are ordered at the same				
time as any one of the Step-Draulic Transmission Jacks (Item No. 8				
\$8.75 from total order Less \$ 8.75 \$				
(Optional) STEP-DRAULIC ADAPTERS as	nd ACCESSORIES			
All Adapters are interchangeable on all Step-Draulic Jacks. Order	extra adapters for other transmissions serviced			
33No.31301 Spline Aligning Slide (Attaches to any Adap				
Special Spline Aligning Slide insures continuous alignment of spline and				
protects oil seals when transmission is removed separ	rately from torque con-			
verter. (Optional for Ford, recommended by Mercury). 32*No.30100 FIT-ALL Adapter	\$ 22.50 \$			
31No. 30400 FORD-MERCURY Adapter				
(Included with all Ford Jacks. Order this unit only i	if you are now equipped			
with a Step-Draulic Jack) 30No. 30400-WS FORD MERCURY Adapter (with Spline Alignin	ng Slide)\$ 27,50 \$			
No. Adapter for	\$ \$			
Date Dealers i	in Michigan Add 3% Sales Tax. \$			
Si gned	Total Order \$			
*NOTE TO FORD DEALERS: You can service Ford and other truck transmissions, too, this faster, safer, cleaner way				
by ordering, along with any Ford Jack, a No. 30100 FIT-ALL Adapter at only \$22.50 extra.				
FORD DEALER (Send Original copy of order and remittance directly to Detroit General Equipment Co.				

FORD DEALER Send Original copy of order and remittance directly to Detroit General Equipment Co.

INSTRUCTIONS Send one copy to your Ford District Office. Retain one copy.

Transmission Handling Equipment and...SPECIAL SERVICE TOOLS



Especially designed for one-man transmission service with car on jack stands. Hydraulic pump, ram and positioning carrier in one unit. Controls at finger tips when working from Creeper. Pump operating lever can be mounted either side.


Rolls easily on four large casters - widely spaced for stability. Capacity - 1000 lbs. Transmission can be tilted 40° forward, 6° back, 10° left or right. Has adjustable floating tilt, an important feature.



An auxiliary support for holding and positioning the engine when the transmission or rear motor mount is removed. Protects crank case. The work area is left free of obstruction and the car can be moved in and out of working stall. It is safe and con-



No. 30100 Fit-All Adapter



With SLIDE FORD-MERCURY No. 30400 - WS.\$27.50

No. 40500 Engine Support



Item 22

NO.11200 OIL DRAIN AND FILTER CAN



Less SLIDE FORD-MERCURY No. 30400 - \$12.50

Lift or Pit Model Transmission Jacks

Step-Draulic Transmission Hi-Jacks are designed for safe, speedy, one-man operation with the car on single or 2-post lift or pit. Hydraulic pump and lift cylinder are a single unit with no exposed piping or fittings. Vertical pumping action does not disturb alignment. Dual-speed, foot-operated release lowers fast or slow as desired leaving both hands free to control transmissions. Safety release valve automatically protects equipment and car mechanism. Three large casters spaced to straddle Twin Post lift floor plates.

This all-steel Carrier tilts forward 28°, backward 10°, right 13°, left 13°, slide 3" laterally on steel rollers. It can be rotated the full 360°.



This single stage Jack lifts from 42" to 73" Capacity - 1000 lbs.



Two - stage design allows a greater range in lift. Its raised height is 72". It lowers to 32" for greater convenience when transferring heavy units to bench or fixture. Capacity - 1000 lbs.